



















Adapters

<p>Series 2 probe adapter to enable use of CI-1000 tips</p>	<p>PT2-CI/ADAPT</p>		
<p>Universal 60° angled adapter for Series 2 standard probe tips</p>	<p>PT2-U/ADAPT-A6</p>		

PC Tips

<p>Universal 2.5mm Series 2 probe tip for PC type male connectors</p>	<p>PT2-U2.5/PC/M</p>		
<p>Universal 1.25mm Series 2 probe tip for PC type male connectors</p>	<p>PT2-U1.25/PC/M</p>		
<p>Universal 2.0mm Series 2 probe tip for PC type male connectors</p>	<p>PT2-U2.0/PC/M</p>		
<p>Series 2 probe tip for 1.6mm male PC type termini</p>	<p>PT2-TM1.6/PC/M</p>		
<p>Series 2 slim probe tip for 2.5mm male PC type termini</p>	<p>PT2-TM2.5/PC/M</p>		
<p>Series 2 probe tip for 1.25mm male ELIO connectors and termini</p>	<p>PT2-ELIO1.25/PC/M</p>		
<p>Series 2 slim probe tip for 1.25mm male LuxCis connectors and termini</p>	<p>PT2-TM1.25/PC/M</p>		

Specifications and descriptions are subject to change without prior notice.

überreicht durch:

Opternus GmbH Optische Spleiss- & Messtechnik



















Büro Süd:



Bahnhofstr. 5
D-22941 Bargteheide
Tel. +49(0)4532-20 44-0
Fax +49(0)4532-20 44-25

Wäldenbronner Str. 2
D-73732 Esslingen
Tel. +49(0)711-3 10 59 99-0
Fax +49(0)711-3 10 59 99-99

E-Mail: Info@Opternus.de - www.Opternus.de

Series 2 probe tip for Biconic connectors	PT2-BI/PC/M		
Series 2 probe tip for SC and FC PC type female connectors	PT2-FS/PC/F		
Series 2 probe tip for ST PC type female connectors	PT2-ST/PC/F		
Series 2 probe tip for SMA 905 PC type male connectors	PT2-SMA/PC/M		
Series 2 probe tip for SMA 905 PC type female connectors	PT2-SMA/PC/F		
Series 2 probe tip for LC PC type female connectors	PT2-LC/PC/F		
Series 2 probe tip for MU PC type female connectors	PT2-MU/PC/F		
Series 2 probe tip for LX.5 PC type female connectors	PT2-LX.5/PC/F		
Series 2 probe tip for female LEMO connectors	PT2-LEMO/PC/F		

Specifications and descriptions are subject to change without prior notice.

überreicht durch:

Opternus GmbH Optische Spleiss- & Messtechnik



















Büro Süd:



Bahnhofstr. 5
D-22941 Bargtheide
Tel. +49(0)4532-20 44-0
Fax +49(0)4532-20 44-25

Wäldenbronner Str. 2
D-73732 Esslingen
Tel. +49(0)711-3 10 59 99-0
Fax +49(0)711-3 10 59 99-99

E-Mail: Info@Opternus.de - www.Opternus.de

Series 2 probe tip for 2.0mm female PC type termini	PT2-TM2.0/PC/F		
Series 2 probe tip for 1.6mm female PC type termini	PT2-TM1.6/PC/F		
Series 2 probe tip for 1.25mm female ELIO connectors and termini	PT2-ELIO1.25/PC/F		
Series 2 extended probe tip for MTP/MPO PC type connectors (male and female)	PT2-MTP/PC-EXT		
Series 2 guide and universal probe tip for male and female for 4 channel TFOCA II connectors	PT2-TFO2-KIT		
Series 2 guide for male and female for 4 channel TFOCA II connectors	PT2-TFO2-G		
Series 2 universal probe tip for male and female TFOCA connectors	PT2-TFO-U		
Universal 2.5mm Series 2 probe tip for APC type male connectors	PT2-U2.5/APC/M		
Universal 1.25mm Series 2 probe tip for APC type male connectors	PT2-U1.25/APC/M		

Specifications and descriptions are subject to change without prior notice.

überreicht durch:

Opternus GmbH Optische Spleiss- & Messtechnik

Büro Süd:

















Opternus

Bahnhofstr. 5
D-22941 Bargteheide
Tel. +49(0)4532-20 44-0
Fax +49(0)4532-20 44-25

Wäldenbronner Str. 2
D-73732 Esslingen

Tel. +49(0)711-3 10 59 99-0
Fax +49(0)711-3 10 59 99-99

E-Mail: Info@Opternus.de - www.Opternus.de

Series 2 probe tip for SC and FC APC type female connectors	PT2-FS/APC/F		
Series 2 probe tip for SC APC type female connectors	PT2-SC/APC/F		
Series 2 probe tip for OptiTap® female connectors (hardened SC)	PT2-OTAP/APC/F		
Series 2 probe tip for E2000 APC type female connectors	PT2-E2K/APC/F		
Series 2 probe tip for LC APC type female connectors	PT2-LC/APC/F		
Series 2 probe tip for LX.5 APC type female connectors	PT2-LX.5/APC/F		
Series 2 extended probe tip for MTP/MPO APC type connectors (male and female)	PT2-MTP/APC-EXT		
Series 2 probe tip for OptiTip® APC type connectors (male and female)	PT2-OTIP/APC		

Specifications and descriptions are subject to change without prior notice.

überreicht durch:

Opternus GmbH Optische Spleiss- & Messtechnik

Büro Süd:

Opternus

Bahnhofstr. 5
D-22941 Bargteheide
Tel. +49(0)4532-20 44-0
Fax +49(0)4532-20 44-25

Waldenbronner Str. 2
D-73732 Esslingen
Tel. +49(0)711-3 10 59 99-0
Fax +49(0)711-3 10 59 99-99

E-Mail: Info@Opternus.de - www.Opternus.de

Straight Extended PC Tips are all available in 3 lengths:

Short (S) approximately 60mm











Medium (M) approximately 100mm



Long (L) approximately 150mm



(For exact dimensions for individual tips contact Lightel or your Lightel distributor)

Series 2 extended probe tips for FC and SC PC type female connectors	PT2-FS/PC/F-S	<i>Medium length pictured</i>	
	PT2-FS/PC/F-M		
	PT2-FS/PC/F-L		
Series 2 extended probe tips for ST PC type female connectors	PT2-ST/PC/F-S	<i>Medium length pictured</i>	
	PT2-ST/PC/F-M		
	PT2-ST/PC/F-L		
Series 2 extended probe tips for E2K PC type female connectors	PT2-E2K/PC/F-S	<i>Medium length pictured</i>	
	PT2-E2K/PC/F-M		
	PT2-E2K/PC/F-L		
Series 2 extended probe tips for LC PC type female connectors	PT2-LC/PC/F-S	<i>Medium length pictured</i>	
	PT2-LC/PC/F-M		
	PT2-LC/PC/F-L		
Series 2 extended probe tips for MU PC type female connectors	PT2-MU/PC/F-S	<i>Medium length pictured</i>	
	PT2-MU/PC/F-M		
	PT2-MU/PC/F-L		
Series 2 extended probe tips for SC2 PC type female connectors	PT2-SC2/PC/F-S	<i>Medium length pictured</i>	
	PT2-SC2/PC/F-M		
	PT2-SC2/PC/F-L		
Series 2 short extended probe tip for SC APC type female connectors	PT2-SC/APC/F-S		

Specifications and descriptions are subject to change without prior notice.

überreicht durch:

Opternus GmbH Optische Spleiss- & Messtechnik











Büro Süd:



Bahnhofstr. 5
D-22941 Bargtheide
Tel. +49(0)4532-20 44-0
Fax +49(0)4532-20 44-25

Wäldenbronner Str. 2
D-73732 Esslingen
Tel. +49(0)711-3 10 59 99-0
Fax +49(0)711-3 10 59 99-99

E-Mail: Info@Opternus.de - www.Opternus.de

Series 2 60° angled probe tip for SC PC type female connectors	PT2-SC/PC/F-A6		
Series 2 60° angled probe tip for MU PC type female connectors	PT2-MU/PC/F-A6		
Series 2 60° angled probe tip for LC PC type female connectors	PT2-LC/PC/F-A6		
Series 2 60° angled probe tip for SC APC type female connectors	PT2-SC/APC/F-A6		
Series 2 60° angled probe tip for ST PC type female connectors	PT2-ST/PC/F-A6		

Specifications and descriptions are subject to change without prior notice.

überreicht durch:

Opternus GmbH Optische Spleiss- & Messtechnik

Büro Süd:



Bahnhofstr. 5
D-22941 Bargteheide

Tel. +49(0)4532-20 44-0
Fax +49(0)4532-20 44-25

Wäldenbronner Str. 2
D-73732 Esslingen

Tel. +49(0)711-3 10 59 99-0
Fax +49(0)711-3 10 59 99-99

E-Mail: Info@Opternus.de - www.Opternus.de