

Tip Adapter Guide

For the ConnectorMax Fiber Inspection Probe



The largest range of tip adapters in the industry to match any connector, in all settings possible.

PATCHCORD TIPS / BULKHEAD ADAPTERS /
APC AND UPC / SINGLE FIBER / MULTIFIBER



Smarter
network
in sight.

EXFO

Specifications and descriptions are subject to change without prior notice.

überreicht durch:

Opternus

Opternus GmbH Optische Spleiss- & Messtechnik

Bahnhofstr. 5
D-22941 Bargteheide

Tel. +49(0)4532-20 44-0
Fax +49(0)4532-20 44-25

E-Mail: info@opternus.de - www.opternus.de - www.opternus-shop.de

Büro Süd:

Katharinenstr. 57
D-73728 Esslingen

Tel. +49(0)711-3 10 59 99-0
Fax +49(0)711-3 10 59 99-99

©Opternus GmbH
Juni 2018

Most common connectors types

Each connector needs the appropriate adapter when it comes to fiber inspection. In order to make it as easy as possible for you to use or order the tip adapter that you need to perform your tests, EXFO has put together this quick reference guide. It includes the full array of tips that are available, their associated connectors and respective ordering information.

Single-fiber connectors

Adapter tips APC					Adapter tips UPC	
Male	Female				Male	Female
FIPT-400-U25MA	FIPT-400-SC-APC		SC Simplex		FIPT-400-U25M	
			SC Duplex			FIPT-400-FC-SC
	FIPT-400-FC-APC		FC Simplex			
	N/A		ST Simplex			FIPT-400-ST
	FIPT-400-E2000-APC		E2000 Simplex			FIPT-400-E2000
FIPT-400-U12MA	FIPT-400-LX5-APC		LX-5 Simplex		FIPT-400-U12M	FIPT-400-LX.5
			LX-5 Duplex			
	N/A		MU Simplex			FIPT-400-MU
			MU Duplex			
FIPT-400-LC-D-APC	FIPT-400-LC-APC		LC Simplex		FIPT-400-LC-D	FIPT-400-LC-SQ
			LC Duplex			

MPO connectors









Jumper					Bulkhead	
FIPT-400-MF-MPO *			MPO 12-24 UPC		FIPT-400-MF-MPO *	
FIPT-400-MF-MPO-APC *			MPO 12-24 APC		FIPT-400-MF-MPO-APC *	
FIPT-400-MF-MPO-X *			MPO 16-32 UPC		FIPT-400-MF-MPO-X *	

* Requires FIP-400B MF-Ready version.

















Specifications and descriptions are subject to change without prior notice.

Most common connectors types

FTTH connectors

Drop cable			Terminal port			
FIPT-400-U25MA			OptiTap® (OptiSheath® Multiport terminal, in-line tether extender or flexible service terminals)		FIPT-400-OTAP-APC	
FIPT-400-MF-OTIP-MT-APC *			OptiTip® and HMFOC® Up to 12 fibers		FIPT-400-MF-OTIP-MT-APC *	

FTTA connectors

Socket		Plug				
FIPT-400-ODC-S			Outdoor connector (ODC) 2 fibers		FIPT-400-ODC-2PIN-P-K	
			Outdoor connector (ODC) 4 fibers		FIPT-400-ODC-4PIN-P-K	
FIPT-400-MF-QODC-12 *			Outdoor connector Q-ODC-12 UPC		FIPT-400-MF-QODC-12 *	
FIPT-400-MF-QODC-12-APC *			Outdoor connector Q-ODC-12 APC		FIPT-400-MF-QODC-12-APC *	

* Requires the FIP-400B MF-Ready version

Specifications and descriptions are subject to change without prior notice.

überreicht durch:



Opternus GmbH Optische Spleiss- & Messtechnik

Bahnhofstr. 5
D-22941 Bargteheide

Tel. +49(0)4532-20 44-0
Fax +49(0)4532-20 44-25

Büro Süd:

Katharinenstr. 57
D-73728 Esslingen

Tel. +49(0)711-3 10 59 99-0
Fax +49(0)711-3 10 59 99-99

E-Mail: info@opternus.de - www.opternus.de - www.opternus-shop.de

Next-gen multifiber connector inspection



What are tips, nozzles and special adapters and what are they used for?

EXFO's next-gen multifiber inspection solution is versatile and leverages the same tip for all multifiber connectors. To adapt to each specific multifiber connector form factor, just swap the nozzle. This versatile design makes it possible to optimize cost of ownership and ease of use. To inspect Bulkhead (female) and Jumper (male) tips, the solution will either rely on a dedicated nozzle (Q-ODC-12®, OptiTip®) or a single Bulkhead (female MPO) nozzle with a specific adapter to inspect Jumper (male MPO).



Is my ConnectorMax probe MF-Ready?

EXFO's next-gen multifiber solution is compatible with FIP-400B MF-Ready versions. To verify if it's MF-Ready, check your FIP-400B for the black retaining nut and the MF-Ready engraving.



If your FIP-400B is not MF-Ready, contact EXFO at isales@exfo.com for an upgrade.

Q-ODC is a registered trademark of HUBER+SUHNER
 OptiTip is a registered trademark of Corning Cable Systems






Specifications and descriptions are subject to change without prior notice.

Ordering information



EXFO offers multiple patchcord tips and bulkhead adapters for both single fibers and multifiber applications. These tips and adapters are built to fit the wide range of fiber connector types and design you may encounter in the field. The following tips and adapters are compatible with both the FIP-400 and FIP-400B Series of ConnectorMaxa probes, and can be ordered separately or in kits. Please refer to the chart below for complete ordering information.

Patchcord tips

Part Number	FIPT-400-U12M	FIPT-400-U12MA	FIPT-400-U16M*	FIPT-400-LC-D	FIPT-400-LC-D-APC	FIPT-400-MIL-2CPA
Description	Universal patchcord tip for 1.25 mm ferrules	Universal patchcord tip for 1.25 mm ferrules (APC)	Universal 1.6 mm/PC tip for male connector	Duplex patchcord tip for LC-UPC connectors	Duplex patchcord tip for LC-APC connectors	Tip to inspect Glenair D38999 plug
						

Part Number	FIPT-400-U20M2	FIPT-400-U25M	FIPT-400-U25M-R	FIPT-400-U25MA	FIPT-400-U25MA-R
Description	Universal patchcord tip for 2.0 mm ferrules (D4, Lemo)	Universal patchcord tip for 2.5 mm ferrules	Ultra-rugged universal patchcord tip for 2.5 mm ferrule	Universal patchcord tip for 2.5 mm ferrules (APC)	Ultra-rugged universal patchcord tip for 2.5 mm/APC ferrule
					

Adapters




























Part Number	FIPT-400-ADAPTER*	FIPT-400-AD-A6
Description	<p>Adapter tip Allows the user to attach any Westover probe tip that does not include optics to EXFO's probe</p> 	<p>60-degree adapter tip Allows the user to obtain 60-degree angle capabilities on certain standard probe tips that do not include optics</p> 

* Pass/Fail analysis not supported.

Specifications and descriptions are subject to change without prior notice.

Ordering information

Bulkhead Adapters

Part Number	FIPT-400-D4	FIPT-400-E2000	FIPT-400-E2000-APC*	FIPT-400-FC-APC	FIPT-400-FC-SC	FIPT-400-FC-SC-A6
Description	D4 tip for bulkhead adapter	E-2000 tip for bulkhead adapter	E2000 APC tip for bulkhead adapter	FC/APC tip for bulkhead adapter	FC and SC tip for bulkhead adapter	FC and SC angled tip for bulkhead adapter; 60 degrees
						
Part Number	FIPT-400-LC-SQ	FIPT-400-LC-A6	FIPT-400-LC-APC	FIPT-400-LC-L	FIPT-400-LC-L-137	FIPT-400-LEMO
Description	LC tip for bulkhead adapter	LC angled tip for bulkhead adapter; 60 degrees	LC/APC tip for bulkhead adapter	Extended LC tip for PC bulkhead adapter	137 mm, extended LC tip for PC bulkhead adapter	Lemo bulkhead adapter
						
Part Number	FIPT-400-LX.5	FIPT-400-LX5-APC*	FIPT-400-MTRJ*	FIPT-400-MU	FIPT-400-MU-L	FIPT-400-MU-L-149
Description	LX.5/PC tip for bulkhead connector	LX.5/APC tip for bulkhead adapter	MTRJ tip for MTRJ bulkhead	MU tip for bulkhead adapters	Extended MU tip for PC bulkhead adapter	149 mm, extended MU tip for PC bulkhead adapter
						
Part Number	FIPT-400-SC-APC	FIPT-400-SC-APC-L	FIPT-400-SC-L	FIPT-400-SC-L-149	FIPT-400-LC-APC-L	FIPT-400-SMA*
Description	SC/APC tip for bulkhead adapter	SC angled extended tip for bulkhead connector	Extended SC tip for PC bulkhead adapter	149 mm, extended SC tip for PC bulkhead adapter	LC/APC extended tip for bulkhead connector	SMA tips for bulkhead connector
						
Part Number	FIPT-400-SMAM*	FIPT-400-ST	FIPT-400-OTAP-APC			
Description	SMA tip for male connector	ST tip for bulkhead adapter	OptiTap™ bulkhead adapter			
						

* Pass/Fail analysis not supported.

EXFO - FIP Tip Adapter Guide

6

Specifications and descriptions are subject to change without prior notice.

überreicht durch:

Opternus

Opternus GmbH Optische Spleiss- & Messtechnik

Bahnhofstr. 5
D-22941 Bargteheide

Tel. +49(0)4532-20 44-0
Fax +49(0)4532-20 44-25

Büro Süd:






Katharinenstr. 57
D-73728 Esslingen






Tel. +49(0)711-3 10 59 99-0
Fax +49(0)711-3 10 59 99-99




E-Mail: info@opternus.de - www.opternus.de - www.opternus-shop.de






Ordering information

Automated multifiber tips, nozzles and adapters *

Part Number	FIPT-400-MF-MPO	FIPT-400-MF-MPO-APC	FIPT-400-MF-MPO-K	FIPT-400-MF-MPO-X	FIPT-400-NZ-MPO
Description	Automated tip for MPO/UPC connectors (12-fiber row), one-hand operation. Compatible with single- and dual-row connectors, up to 24 fibers.	Automated tip for MPO/APC connectors (12-fiber row), one-hand operation. Compatible with single- and dual-row connectors, up to 24 fibers.	Automated tip kit for MPO/UPC and MPO/APC connectors (12-fiber row), one-hand operation. Compatible with single- and dual-row connectors, up to 24 fibers.	Automated tip for MPO-16/UPC connectors (16-fiber row), one-hand operation. Compatible with single- and dual-row connectors, up to 32 fibers.	MPO/UPC replaceable nozzle for FIPT-400-MF automated tip for 12-fiber row connectors. Compatible with single- and dual-row connectors, up to 24 fibers.
					

Part Number	FIPT-400-NZ-MPO-APC	FIPT-NZ-MPO-X	FIPT-MPO-BLK	FIPT-400-X-BLK	FIPT-400-MF-QODC-12
Description	MPO/APC replaceable nozzle for FIPT-400-MF automated tip for 12-fiber row connectors. Compatible with single- and dual-row connectors, up to 24 fibers.	MPO/UPC replaceable nozzle for FIPT-400-MF automated tip for 16-fiber row connectors. Compatible with single- and dual-row connectors, up to 32 fibers.	Specialized bulkhead adapter for patchcord inspection for 12-fiber row connectors. Compatible with single- and dual-row connectors, up to 24 fibers.	Specialized bulkhead adapter for patchcord inspection for 16-fiber row connectors. Compatible with single- and dual-row connectors, up to 32 fibers.	Automated tip for QODC-12/UPC connectors (12 fibers); one hand operation. Compatible with plug and socket connectors.
					

Part Number	FIPT-400-MF-QODC-12-APC	FIPT-400-NZ-QODC-12	FIPT-400-NZ-QODC-12-APC	FIPT-400-MF-OTIP-APC	FIPT-400-NZ-OTIP-APC
Description	FIPT-400-MF automated tip for QODC-12/APC connectors (12 fibers); one hand operation. Compatible with plug and socket connectors.	QODC-12/UPC replaceable nozzle for FIPT-400-MF automated tip for 12-fiber row connectors. Include nozzles for plug and socket connectors.	QODC-12/APC replaceable nozzle for FIPT-400-MF automated tip for 12-fiber row connectors. Include nozzles for plug and socket connectors.	Automated tip for Optitip-MT/APC and HMFOC®/APC connectors (12x24 fibers), one hand operation. Compatible with single and dual-row connectors, up to 24 fibers. Compatible with male and female connectors.	Optitip MT/APC and HMFOC®/APC replaceable nozzle for FIPT-400-MF automated tip, includes two nozzles for male and female connectors.
					




Part Number	FIPT-400-MF-MT	FIPT-400-MF-MT-APC	FIPT-400-MF-MT-K	FIPT-400-NZ-MT	FIPT-400-NZ-MT-APC
Description	Automated multifiber tip for MT/UPC patchcord connectors (12&16-fiber row), one-hand operation. Compatible with single- and dual-row connectors.	Automated multifiber tip for MT/APC patchcord connectors (12&16-fiber row), one-hand operation. Compatible with single- and dual-row connectors.	Automated multifiber tip for MT/UPC and MT/APC patchcord connectors (12&16-fiber row), one-hand operation. Compatible with single- and dual-row connectors.	MT/UPC replaceable nozzle for FIPT-400-MF automated tip for MT/UPC patchcord connectors (12&16-fiber row). Compatible with single and dual-row connectors.	MT/APC replaceable nozzle for FIPT-400-MF automated tip for MT/APC patchcord connectors (12&16-fiber row). Compatible with single and dual-row connectors.
					

* Requires the FIP-400B MF-Ready version






Specifications and descriptions are subject to change without prior notice.

Ordering information

ODC 2 & 4 fibers tips and guides

Part Number	FIPT-400-ODC-U	FIPT-400-ODC-2PIN-P	FIPT-400-ODC-4PIN-P	FIPT-400-ODC-S
Description	ODC universal guided tip (to be used with a plug guide)	ODC 2 pin plug (female) guide tip	ODC 4 pin plug (female) guide tip	ODC socket (male) tip
				

Manual MPO tips (with scanning knobs), nozzle and adapters

Part Number	FIPT-400-MTP-MTR *	FIPT-400-MTP-MTRA	FIPT-400-MTP-MTR-K	FIPT-400-MTPA-TIP	FIPT-400-MTP2-TIP
Description	MTP-MPO/UPC multirow tip for bulkhead adapter	MTP/MPO multirow APC tip for bulkhead adapter: includes a bulkhead adapter for patchcord inspection	MTP-MPO/APC and UPC multirow tip for bulkhead adapter	MTP-MPO/APC replaceable nozzle for single or multirow adapter	MTP/MPO multirow APC tip for bulkhead adapter: includes a bulkhead adapter for patchcord inspection
					

Part Number	FIPT-400-MTP-BLK
Description	Bulkhead adapter for MPO patchcord inspection
	


* Pass/Fail analysis not supported.

Specifications and descriptions are subject to change without prior notice.

Ordering information

Tip adapter kits

Part Number	FIPT-400-LC-K	FIPT-400-LC-K-APC	FIPT-400-LC-K-UPC	FIPT-400-SCA-K	FIPT-400-ODC-4PIN-P-K	FIPT-400-ODC-2&4PIN-P-K
Description	<p>LC tip kit including:</p> <ul style="list-style-type: none"> › FIPT-400-LC: LC tip for bulkhead adapters › FIPT-400-LC-APC: LC/APC tip for bulkhead adapter › FIPT-400-U12M: universal patchcord tip for 1.25 mm ferrules › FIPT-400-U12MA: universal patchcord tip for 1.25 mm ferrules (APC) 	<p>LC tip kit including:</p> <ul style="list-style-type: none"> › FIPT-400-LC-APC: LC/APC tip for bulkhead adapter › FIPT-400-U12MA: Universal patchcord tip for 1.25 mm ferrules (APC) 	<p>LC tip kit including:</p> <ul style="list-style-type: none"> › FIPT-400-LC: LC tip for bulkhead adapters › FIPT-400-U12M: universal patchcord tip for 1.25 mm ferrules 	<p>2,5 mm APC tip kit including:</p> <ul style="list-style-type: none"> › FIPT-400-U25MA › FIPT-400-SC-APC 	<p>ODC 4 pin plug (female) guide and universal tip</p>	<p>ODC 2 and 4 pin plug (female) guides and universal tip</p>
						

Part Number	FIPT-400-ODC-2 PIN-P-K
Description	<p>ODC 2 pin plug (female) guide and universal tip</p>
	

Specifications and descriptions are subject to change without prior notice.



20170725

© 2018 EXFO Inc. All rights reserved.

Printed in Canada 18/04

Specifications and descriptions are subject to change without prior notice.

überreicht durch:

Opternus GmbH Optische Spleiss- & Messtechnik

Bahnhofstr. 5
D-22941 Bargteheide

Tel. +49(0)4532-20 44-0
Fax +49(0)4532-20 44-25

Büro Süd:

Katharinenstr. 57
D-73728 Esslingen

Tel. +49(0)711-3 10 59 99-0
Fax +49(0)711-3 10 59 99-99

E-Mail: info@opternus.de - www.opternus.de - www.opternus-shop.de